

**Urea Solution, 50% Industrial**

**SECTION 1: Identification**

**1.1 Product Identifier**

*Product Name:* Urea Liquor  
*Synonyms:* Urea Liquor, Urea Solution, Urea Solution 50% Industrial  
*Formula:*  $\text{CO}(\text{NH}_2)_2 + \text{H}_2\text{O}$   
*Product Type:* Liquid, Mixture  
*Product Code(s):* 807, 808, 816

**1.2 Recommended Use**

*Identified Uses:* Industrial use, Water Treatment, NOx Reducing Agent for SNCR, animal feed

**1.3 Supplier Details**

Cervantes-Delgado, Inc.  
 471 W. Lambert Road, Suite #100  
 Brea, CA 92821  
 714-990-3940  
[cdi@cervantes-delgado.com](mailto:cdi@cervantes-delgado.com)  
[www.cervantes-delgado.com](http://www.cervantes-delgado.com)


**1.4 Emergency Phone No.**

CHEMTREC (US & Canada) 1-800-424-9300

**SECTION 2: Hazards Identification**

National Fire Protection Association

Health	1
Flammability	0
Physical Hazard	0
Personal Protection	



Legend HMIS / NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

# Safety Data Sheet

## Urea Solution, 50% Industrial

---

### **2.1 Classification of the Substance or mixture**

GHS-US classification

Skin irrit. 2      H315

Eye Irrit. 2A      H319

### **2.2 Label Elements**

*Signal Word:*              Caution

*Hazard Statement:*      H315 - Causes skin irritation.

H319 – Causes serious eye irritation.

H402 – Harmful to aquatic life.

*Pictograms:*              None

*Precautionary Statements:*

P264 – Wash hands thoroughly after handling.

P302+P352 – IF ON SKIN: Wash with plenty soap and water.

P305+P351 – IF IN EYES: Rinse cautiously with water for several minutes.

P332+P313 – If skin irritation occurs: get medical advice/attention.

P337+P313 – If eye irritation persists: get medical advice/attention.

P402 – Harmful to aquatic life.

P501 – Dispose of contents/container in accordance with local, regional, national and international regulations.

### **2.3 Other Hazards**

*Eye:* Contact may cause mild eye irritation including stinging, watering, and redness.

*Skin:* Contact may cause mild skin irritation including redness and burning. No harmful effects from skin absorption have been reported.

*Inhalation (Breathing):* No information available. Studies by other exposure routes suggest a low degree of toxicity by inhalation.

*Ingestion (Swallowing):* No information available. Studies by other exposure routes suggest a low degree of toxicity by inhalation.

*Signs and Symptoms:* Effects of overexposure may include irritation of the nose, throat and digestive tract, headaches, coughing, nausea, vomiting, and transient disorientation.

*Cancer:* Inadequate evidence available to evaluate the cancer hazard of this material.

### SECTION 3: Composition / Information of Ingredients

Name	Product Identifier	% by weight	GHS- US Classification
Urea	(CAS No.) 57-13-6	49 -51	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Water	(CAS No.) 7732-18-5	49 - 51	Not Classified
Biuret	(CAS No.) 108-19-0	≤ 0.7	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Methylenediurea	(CAS No.) 13547-17-6	0-1.5	Eye Irrit. 2A, H319
Alkalinity, as Ammonia	(CAS No.) 7664-41-7	≤ 0.7	

### SECTION 4: First Aid Measures

#### 4.1 Description of Necessary First Aid Measures

*General:* If medical attention is needed have product container or label available.

*Eye Contact:* Immediately flush eyes with clean water for a prolonged period (15 minutes). If irritation or redness develops or persists, seek medical attention.

*Skin Contact:* Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water. If irritation or redness develops and persists, seek medical attention. Wash contaminated clothing before reuse.

*Inhalation:* If respiratory problems develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention. If victim is not breathing, clear airway and immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.

*Ingestion:* First aid is not normally required; however, if swallowed and symptoms develop, seek medical attention.

#### 4.2 Most Important symptoms and effects, both acute and delayed

*Eye Contact:* Contact may cause mild eye irritation including stinging, watering, and redness.

*Skin Contact:* Contact may cause mild skin irritation including redness and burning. No harmful effects from skin absorption have been reported.

*Inhalation:* No information available. Studies by other exposure routes suggest a low degree of toxicity by inhalation.

*Ingestion:* No information available. Studies by other exposure routes suggest a low degree of toxicity by inhalation.

Ingesting large quantities may result in abdominal pains, diarrhea, nausea or vomiting.

# Safety Data Sheet

## Urea Solution, 50% Industrial

---

*Chronic Symptoms: None are expected under normal conditions.*

### **4.3 Indication of any immediate medical attention and special treatment needed**

*Notes to physician: No special requirements. Treat symptomatically.*

## **SECTION 5: Fire-Fighting Measures**

### **5.1 Extinguishing Media**

*Suitable Extinguishing Media:* Material is non-flammable. Use extinguishing media appropriate for the surrounding fire.

*Unsuitable Extinguishing Media:* None known

### **5.2 Special hazards arising from the substance or mixture**

*Fire Hazard:* Under fire conditions this material may decompose to ammonia, nitrogen oxides and carbon dioxide.

*Explosion Hazard:* Avoid contact with strong oxidizing agents such as chlorine (bleach), peroxides, chromates, nitric acid, perchlorates, concentrated oxygen or permanganates. Contact can generate heat, fires, explosions and release toxic fumes.

*Reactivity:* Hazardous reactions are unlikely to occur under normal conditions.

### **5.3 Advice for fire-fighters**

*Special Protective Equipment:* Fire-fighters should wear complete turn-out gear including self-contained breathing apparatus.

*Other Information:* Do not allow run-off from the fire fighting to enter drains or water courses.

## **SECTION 6: Accidental Release Measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Keep unnecessary personnel away from the spill. Wear appropriate protective equipment including respiratory protection as conditions warrant. Stop the source of the release if it can be done without risk. Immediately isolate the hazard area and restrict access to authorized personnel only.

### **6.2 Environmental precautions**

To prevent spilled material from entering sewers, storm drains or natural watercourses, contain material with a dike or with appropriate absorbent materials such as sand, clay, soil or commercially available absorbent. Inform appropriate authorities if the material enters environmentally sensitive waterways.

Prevent material from entering basements or confined areas.

### **6.3 Methods and material for containment and clean up**

*Small Spill:* Contain any spill with a dike or with appropriate absorbent materials such as sand, clay, soil or commercially available absorbent. Dilute with water and mop up. Place liquid and absorbent into a suitable waste container for disposal at an appropriate disposal facility according to current applicable laws and regulations.

*Large Spill:* Stop the source of the release if it can be done without risk. Immediately isolate the hazard area and restrict access to authorized personnel only. Wear appropriate protective equipment including respiratory protection as conditions warrant. To prevent spilled material from entering sewers, storm drains or natural watercourses, contain material with a dike or with appropriate absorbent materials. Place liquid and absorbent into a suitable waste container for disposal at an appropriate disposal facility according to current applicable laws and regulations. Do not return spilled material to the original containers for re-use.

### **6.4 Reference to other sections**

Personal Protection –Section 8

Disposal Considerations – Section 13

## **SECTION 7: Handling and Storage**

### **7.1 Precautions for safe handling**

Handle using good industrial hygiene and safety procedures.

Wear appropriate personal protective equipment.

Avoid breathing vapor or mist.

Do not eat, drink or smoke when working with this material.

Avoid contact with skin and eyes. Wash hands and other areas of contact thoroughly with soap and water after handling this material.

### **7.2 Conditions for safe storage, including and incompatibilities**

Store material in the original container protected from direct sunlight in a clean, cool, dry and well ventilated area.

Avoid containers, piping or fittings made of brass, bronze, all copper alloys, aluminum or galvanized metal.

Store this material in closed containers away from incompatible materials (Section 10).

Previously opened containers should carefully resealed and stored upright to avoid leaking.

### **7.3 Specific end use(s)**

# Safety Data Sheet

## Urea Solution, 50% Industrial

Industrial applications, NOx reducing agent, animal feed, water treatment.

### SECTION 8: Exposure Controls / Personal Protection

#### 8.1 Control parameters

No exposure limits established from the manufacturer, supplier, importer or appropriate advisory agency.

#### 8.2 Exposure controls

*Engineering controls:* Provide adequate ventilation in storage and handling areas. Provide emergency eye wash station in the vicinity of potential exposure.

#### 8.3 Individual protection measures

*Personal protective equipment:* Gloves, Safety Goggles, Protective Clothing



*Hand Protection:* Impermeable protective gloves should be worn at all times when handling chemical products.

*Eye protection:* Wear close fitting chemical goggles or full face shield where splashing or contact is likely. Do not wear contact lenses.

*Skin and Body protection:* Wear task appropriate protective clothing and full protective suit if splashing may occur.

*Respiratory protection:* Under normal operating conditions no personal respiratory protection is necessary. Use a NIOSH-approved respirator if concentrations of mist or vapor are expected to exceed occupational exposure limits.

*General Hygiene measures:*

- Wash contaminated clothing before reuse.
- Wash hands after handling the material particularly before eating or drinking.
- Avoid breathing mists or vapors.

### SECTION 9: Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Physical State : Liquid  
Appearance : Clear

# Safety Data Sheet

## Urea Solution, 50% Industrial

---

Color	:	Colorless
Odor	:	Slight, Ammonia
pH	:	7.5 - 10
Molecular Weight	:	60.07 (100% Urea)
Melting / Freezing point	:	18.3°C (65°F)
Boiling Point	:	~104°C (219°F)
Flash Point	:	No data available
Evaporation Rate	:	No data available
Self-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability	:	No data available
Flammability limits	:	No data available
Vapor Pressure @ 20°C	:	80 Pa @ 20°C
Relative vapor density @ 20°C	:	No data available
Specific Gravity	:	1.145 @ 20°C
Density	:	9.53 lb / gal
Solubility	:	Water: Miscible
Viscosity, dynamic	:	1.4 mPa.s @ 20°C (68.0°F)
Explosive properties	:	No data available
Oxidizing Properties	:	No data available
Explosive limits	:	No data available

### **SECTION 10: Stability and Reactivity**

#### **10.1 Reactivity**

Material is stable under normal conditions of storage and handling.

#### **10.2 Chemical Stability**

Material is stable at standard temperature and pressure.

#### **10.3 Possibility of hazardous reactions**

Hazardous polymerization will not occur.

#### **10.4 Conditions to avoid**

Avoid extreme high and low temperatures.

Avoid contamination from metals, dust or organic materials.

#### **10.5 Incompatible materials**

# Safety Data Sheet

## Urea Solution, 50% Industrial

---

Avoid contact with strong oxidizing agents such as chlorine (bleach), peroxides, chromates, nitric acid, perchlorates, concentrated oxygen or permanganates. Contact can generate heat, fires, explosions and release toxic fumes.

### **10.6 Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Under fire conditions this material may decompose to ammonia, nitrogen oxides and carbon dioxide.

## **SECTION 11: Toxicological Information**

### **11.1 Information on toxicological effects**

<i>Acute Toxicity:</i>	No known significant effects or critical hazard
Oral:	Low acute toxicity - LD50 (rat) =8471mg/kg
Dermal:	Low acute toxicity - LD50 (rat) >2000mg/kg
<i>Skin Corrosion / Irritation:</i>	Prolonged contact can cause irritation: pH 10.
<i>Serious damage / Irritation:</i>	Can cause irritation: pH 10.
<i>Respiratory or skin sensitization:</i>	No known significant effects.
<i>Germ cell mutagenicity:</i>	No known significant effects or critical hazard
<i>Carcinogenicity:</i>	No known significant effects or critical hazard
<i>Mutagenicity:</i>	No known significant effects or critical hazard
<i>Reproductive toxicity:</i>	No known significant effects or critical hazard
<i>Teratogenicity:</i>	No known significant effects or critical hazard
<i>Specific Target Organ toxicity (single exposure):</i>	Not classified
<i>Specific Target Organ toxicity (repeated exposure):</i>	Not classified
<i>Aspiration Hazard:</i>	No known significant effects or critical hazard

### **11.2 Potential Acute Health Effects**

#### Short Term Exposure

<i>Eye Contact:</i>	No known significant effects or critical hazard
<i>Inhalation:</i>	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.



# Safety Data Sheet

## Urea Solution, 50% Industrial

---

*Skin Contact:* No known significant effects or critical hazard

*Ingestion:* No known significant effects or critical hazard

Potential Chronic Health Effects: No known significant effects or critical hazard.

### **SECTION 12: Ecological Information**

#### **12.1 Toxicity**

Low toxicity to aquatic organisms

Fish: *Barillius barna*, 96 Hr LC<sub>50</sub> >9,100 mg/L

Invertebrates: *Daphnia magna*, 24-Hr EC50 ≥ 10,000 mg/L

Plants: *Scenadesmus quadricauda*, 192 Hr cell multiplication inhibition Test TT > 10,000 mg/L

#### **12.2 Persistence / degradability**

Ultimately biodegradable

#### **12.3 Bioaccumulation / accumulation**

Material is unlikely to persist in the environment.

#### **12.4 Mobility in environmental media**

Because the product is highly water soluble, it will move with surface and ground water.

#### **12.5 Chemical fate information**

*In water:* Material is a fertilizer which may promote eutrophication in waterways. It is non-toxic to aquatic organisms as defined by USEPA.

*In soil:* Urea converts to nutrient nitrogen readily available to plants.

#### **12.6 Other adverse effects**

No known significant effects or critical hazards.

### **SECTION 13: Disposal Considerations**

#### **13.1 Waste treatment methods**

Contain any waste in appropriate containers or with absorbent materials that can be placed in a container for safe disposal.

#### **13.2 Waste Disposal Recommendations**

Place waste in appropriate containers and dispose of in accordance with requirements of environmental protection and waste disposal legislation and any regional authority.

Do not dispose to the sewer unless it is allowed by the local jurisdiction.

# Safety Data Sheet

## Urea Solution, 50% Industrial

---

Surplus and non-recyclable material should be disposed of by a licensed waste disposal contractor.

### **13.3 Additional Information**

This material is not listed as a RCRA Toxic Hazardous Waste

## **SECTION 14: Transport Information**

*U.S. Department of Transportation (DOT):* Not regulated as Hazardous Material

*Transportation of Dangerous Goods (TDG-Canada):* Not regulated as Hazardous Material

*International Maritime Dangerous Goods Code (IMDG):* Not regulated as Hazardous Material

*International Air Transport Association (IATA):* Not regulated as Hazardous Material

### **14.1 UN number:**

Not applicable

### **14.2 UN Proper Shipping Name:**

Urea Solution

### **14.3 Additional Information:**

No supplementary information available.

## **SECTION 15: Regulatory Information**

### **15.1 U.S. Federal Regulations**

Water	7732-18-5	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Urea	57-13-6	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Biuret	108-19-0	Listed on the United States TSCA (Toxic Substances Control Act) inventory

*OSHA:* Not listed, however, some states have more stringent OSH programs than OSHA. Consult local state regulations to confirm compliance.

#### *EPA*

Clean Air Act: Not listed

Clean Water Act: Not listed

#### *SARA*

Hazard Categories-

*Immediate Health hazard:* Yes

*Delayed Hazard:* No

*Fire Hazard:* No

# Safety Data Sheet

## Urea Solution, 50% Industrial

---

*Pressure Hazard:* No

*Reactivity Hazard:* No

304: Reportable quantity- 111,000 lbs

311/312: Classification not applicable, no products were listed.

### 15.2 Canadian Regulations

Urea Liquor	WHMIS Classification: Class D Division 2 Subdivision B - toxic material causing other toxic effects.
Urea (57-13-6)	Listed on Canadian DSL (Domestic Substances List) inventory
	WHMIS Classification : Uncontrolled product
Biuret (108-19-0)	Listed on Canadian DSL (Domestic Substances List) inventory

## SECTION 16: Other Information

The information in this document is believed to be correct as of the date issued. **HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.** This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of his use thereof.

**Issue Date:** 6/1/2015

**Effective Dates:** 6/1/2018 – 5/31/2021

**Revision:** 1.1

**Revision Date:** 7/30/18